Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	133	(subfield (sub adj field)) and (tim\$3 adj controller)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/23 10:26
L5	786	(subfield (sub adj field)) and (tim\$3 adj control\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/23 09:54
L6	136	5 and (frame near (memory storage buffer))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/23 09:56
L7	23	6 and ((first and second) near3 writ\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/23 09:55
L8	23	5 and ((writ\$4 and read\$3) with (frame near (memory storage buffer)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/23:10:16
L9	6143	((writ\$4 and read\$3) with (frame near (memory storage buffer)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/23 10:17
L10	1235	9 and (writ\$4 with (two twice) with read\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/23 10:17
L11	434	9 and ((writ\$4 near3 (two twice)) with read\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/23 10:18
L12	547	9 and ((writ\$4 near3 (two twice consecutive\$2 successive\$3 succeed\$3)) with read\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/23 10:19
L13	52	9 and ((writ\$4 near3 (two twice consecutive\$2 successive\$3 succeed\$3)) with "between" with read\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/23 10:25
L14	1197	9 and (timing near (chart diagram))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/23 10:25
L15	243	9 and ((timing near (chart diagram)) with ((writ\$4 stor\$3 input\$4) and (read\$3 retriev\$3 output\$4)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/23 10:33
L16	6	15 and (subfield (sub adj field))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/23 10:27
L17	9	("5298893" "5315695" "5347294" "5541618" "5583527" "5943032" "5956014" "6100859" "6104362").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/23 10:31
L18	109	9 and ((subfield (sub adj (frame field))) with ((writ\$4 stor\$3 input\$4) and (read\$3 retriev\$3 output\$4)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/23 10:35

L19	41	(NIWA near AKIO).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/23 10:36
L20	16	("4603350" "5315327" "5534934" "5661525" "5933196" "5978958" "5999227" "6034666" "6034733" "6147712" "6262779" "6268887" "6310654" "6396542" "6404458" "6507346").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/23 13:12
S1	1	10/713005	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/17 09:00
S2	61	345/533.ccls:	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/17 09:00
S 3	3	S2 and (serial\$2 near5 (read\$3 and writ\$4))	US-PGPUB; USPAT; EPO; JPO; IBM TDB	OR	ON	2005/05/17 09:09
54	439	345/545.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/17 09:02
S5	7	S2 and S4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/17 09:09
S6	344	access\$3 with ((sub adj field) subfield)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/17 09:09
S7	12	S6 and (serial\$2 near5 (read\$3 and writ\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/17 10:31
S8	67	((sub adj field) subfield) and (serial\$2 near5 (read\$3 and writ\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/17:09:29
S9	35	S8 and frame	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/17 09:29
S10	254	((sub adj field) subfield) with (read\$3 and writ\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/17 10:36
S11	171	S10 and frame	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/17 09:30
S12		("4044349" "5387923" "5748165" "5847688") PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/17 10:30
S13	1402	345/60.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/17 10:31
S14	532	345/531.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/17 10:31

S16	1	S13 and (serial\$2 near5 (read\$3 and writ\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/17 10:36
S17	53	S10 and S13	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/17:10:32
S18	170	((sub adj field) subfield) with (read\$3 with writ\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/17 13:37
S20	26	S18 and S13	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/17 10:37
S21	4	("4044349" "5387923" "5748165" "5847688").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/17 10:40
S22	79	plasma and ((sub adj field) subfield) with (read\$3 with writ\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/17 13:54
S23	54	("5436634").URPN.	USPAT	OR	ON	2005/05/17 13:50
S24	170	((sub adj field) subfield) with (read\$3 with writ\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/17 13:54
S27	23	S24 and ((read\$3 and writ\$4) near5 pulse)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/17 15:50
S28	57	"5436634"	US-PGPUB; USPAT; EPO; JPO; IBM TDB	OR	ON	2005/05/17 15:50
529	9	("5898414").URPN.	USPAT	OR	ON	2005/05/17 16:56
S30	j.		US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ÖN	2005/09/19 17:08
S31	792	(subfield (sub adj field)) and ((frame display) near (buffer memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/19 17:10
S32	265	((sub adj field) subfield) with (read\$3 and writ\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/19 17:10
S33	85	S32 and ((frame display) near (buffer memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/19 17:38
S35	1531	345/60.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ÖR	ON	2005/09/19:17:34
S36	5	("5898414" "6025818" "6243073" "6268838" "6448960").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/19 17:39

S37	1	("6407506").PN.	US-PGPUB;	OR	ON	2005/09/19 17:39
			USPAT; EPO; JPO; IBM_TDB			
S38	1	("6204833").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/21 07:40
S39	1534	345/60.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/21 10:50
S40	144	S39 and (read\$3 with writ\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/21 10:56
S41	462	345/545.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/21 10:53
542	0	S39 and 541	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ÖR	ON	2005/09/21:10:53
543	1	10/71305	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/21 10:56
S44	1	10/713005	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/21 14:00
S45	0	((10/713,005) or (10/730,932) or (10/738,090) or (10/617,233) or (10/625,877) or (10/810,618)).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/09/21 11:09
S46	8	10/713,005 10/730,932 10/738,090 10/617,233 10/625,877 10/810,618	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/21 11:13
S47	23474	(buffer same (read\$3 and writ\$4)) and display	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/21 11:16
S48	4232	S47 and "345"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/21 11:15
S49	3846	S48 and (@ad<"20021101")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/21 11:16
S50	44390	(buffer with: (read\$3 and writ\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/21 11:17
S51	2967	S49 and (buffer with (read\$3 and writ\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/21 11:19
S52	68	S51 and 345/539.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/21 11:19

S53	5	("5307056" "5587726" "5742788" "6195106" "6300963"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/21 11:42
S54	397	(frame near (buffer memory)) and ((read\$3 and writ\$4) with interleav\$3)	US-PGPUB; USPAT; EPO; JPO; IBM TDB	OR	ON.	2005/09/21 11:47
S55	30	S54 and (subfield (sub adj field))	US-PGPUB; USPAT; EPO; JPO; IBM TDB	OR	ON	2005/09/21 15:02
S56	689	(frame:near:(buffer:memory)) and (subfield (sub adj field))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/21:11:48
S57	112	(frame near (buffer memory)) and ((subfield (sub adj field)) with ((read\$3 retriev\$3) and (stor\$3 writ\$4)))	US-PGPUB; US-PAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/21 15:03
S58	19	S56 and ((read\$3 and writ\$4) near5 pulse)	US-PGPUB; US-PAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/21:14:01
S59	7	("3906290" "4383256" "4870324" "5187578" "5317334" "5436634" "5619228").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/21 15:01
S60	1229	345/690-694.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM TDB	OR	ON	2005/09/21 15:02
S61	150	S60 and (subfield (sub adj field))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/21 15:02
S62	39	S60 and ((subfield (sub adj field)) with ((read\$3 retriev\$3) and (stor\$3 writ\$4)))	US-PGPUB; USPAT; EPO; JPO;	ÖR	ON	2005/09/21 15:03
S63	54	("5436634").URPN.	IBM_TDB USPAT	OR	ON	2005/09/21 15:42
S64	1	("6292159").URPN.	USPAT	OR	ON	2005/09/21 16:06
S65	191	(read\$3 and writ\$4) with ((subfield (sub adj (field frame))))	USPAT	OR	ON	2005/09/21 16:42
S66	25	S65 and ((alternate\$2 interleav\$3) with (read\$3 and writ\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/21 16:17
S68	122	(read\$3 with writ\$4) with ((subfield (sub adj (field frame))))	USPAT	OR	ON	2005/09/21 16:43
S69	100	(read\$3 with writ\$4) with ((subfield (sub adj field)))	USPAT	OR	ON	2005/09/21 16:43
S70	4	("4044349" "5387923" "5748165" "5847688").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/22 08:03
S71	6065	(consecutive\$2 with writ\$4)	US-PGPUB; USPAT; EPO; JPO; IBM TDB	OR	ON	2005/09/22 08:30
S72	10675	((successive\$2 consecutive\$2) with (read\$3 and writ\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/22 08:31
S73	168	S72 and (subfield (sub adj field))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/22 12:38

S74	54	("5436634").URPN.	USPAT	OR	ON	2005/09/22 09:22
S75	462	345/545.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/22 09:23
S76	0	S75 and ((read\$3 and writ\$4) with (subfield (sub adj field)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/22 09:24
S77	83	(frame:near (memory buffer storage)):and ((read\$3:and:writ\$4)::with (subfield (sub:adj field))):	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/22 11:21
S78	110	(frame near (memory buffer storage)) and ((read\$3 and (writ\$4 stor\$3)) with (subfield (sub adj field)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/22 10:12
S79	6	("20020021264" "20020036610" "6052112" "6097358" "629215 9" "6614413").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/22 11:16
S80	42901	(writ\$4 with "between" with read\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/22 11:16
S81	34	(writ\$4:with:"between" with read\$3) with (subfield subframe (sub adj (field frame)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/22 11:53
S82	102	(frame near (memory buffer storage)) and (((read\$3 retriev\$3) and (output\$4 writ\$4)) with (subfield (sub adj field)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/22 11:22
S83	331	(frame: near (memory buffer storage)) and (((read\$3 retriev\$3 input\$4) and (output\$4 writ\$4 stor\$3)) with (subfield (sub adj (frame: field))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/22 11:24
S84	123	S83 and ((subsequent\$2 successive\$2 consecutive\$2) with (writ\$4 output\$4 stor\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/22 11:41
S85	218	(writ\$4 with line) and (read\$3 with (subfield (sub adj (frame field))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/22 11:42
S86	57	S85 and (writ\$4 with "between" with read\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/22 12:36
S87	16487	(frame: near (buffer: memory)) with ((read\$2 output\$4 retriev\$3) and (writ\$\$4 input\$4 stor\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/22 12:40
S88	284	S87 and (subfield (sub adj field))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/22 12:41
S89	13759	(frame:near (buffer:memory)) with ((read\$2 output\$4 retriev\$3) with (writ\$\$4 input\$4 stor\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/22 12:40

S90	237	S89 and (subfield (sub adj field))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/22 12:42
S92 S93	11	\$90 and (((read\$3 output\$3 retriev\$3) and (writ\$4 input\$4 stor\$3)) near2 pulse) ("5103311" "5467465" "5742406" "5850268" "6038584" "6070003" "6188381" "6657640" "6657674" "6738356" "6791555").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB US-PGPUB; USPAT; USOCR	OR OR	ON ON	2005/09/22:13:04